### **NH Public Utilities Commission**

# **REC Aggregator Portal**

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

> ALERSON ... 49

	MHPUC 20JUN 164411:
Existing Users CLICK HERE	and the Time
Basic Information	
Who is submitting this request?  Aggregator	
Aggregator Batch Number	
KE061516	
Are you registered in NH  • Yes  • No	
Aggregator name  Knollwood Energy	
NH Reg #	
Aggregator Email	
karenton@knollwoodenergy.com	
Other Aggregator name	
Other aggregator email address	
Facility Name	
Facility Owner Name	
Jim Hebert	

Facility Owner email
jim.hebert16@gmail.com
Owner Phone
603-475-4996
Facility Address
5 New Road
Facility Town/City
Windham
Facility State
NH
Facility Zip
03087
Is the facility address the same as the owner's mailing address  Yes  No
Mailing Address
Maining Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
Facility Primary Contact  karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON78567
Date of Initial Operation
11/16/2015
Facility Operator Name, if applicable
Panel Make #1
SunEdison
Panel Model
F270
Panel Quantity
44
Panel Rated Output
270
Other panel make

i c

More Panel types?	*	
No     Yes		
Panel Make #2		
Panel Model		
Panel Quantity		
Panel Rated Output		
No     Yes		
No No Yes  Panel Make #3		
No No Yes  Panel Make #3  Panel Model		
No No Yes  Panel Make #3  Panel Model		
No O Yes  Panel Make #3  Panel Model  Panel Quantity		
No O Yes  Panel Make #3  Panel Model  Panel Quantity		
No O Yes  Panel Make #3  Panel Model  Panel Quantity	panels	
More Panel types?  No Yes  Panel Make #3  Panel Model  Panel Quantity  Panel Rated Output  System capacity based on  11880	panels	
No O Yes  Panel Make #3  Panel Model  Panel Quantity  Panel Rated Output  System capacity based on	panels	

44	
Add'i Inve	erter Quantity
NA	
Additiona	I Inverter Make
None	
Rated Ou	Itput - Primary Inverter
225	
Rated Ou	ıtput - Additional Inverter
System c	apacity based on single inverter make
9900	apacity succession and great makes
System o	apacity based on two inverter types
System	capacity in kW as stated on the interconnection agreement
9.9	appears in the decided on the intercentional agreement
Revenue	Grade Meter Make
Revenue	Grade GIS Approved Meter
AEE SO	
Other rev	renue-grade GIS-approved meter
Mae this	facility installed directly by the customer (no electrician involved)?
O Yes	radility installed directly by the customer (no electricial) involved):
No	
	n Name & Number
Electricia	
	re12245M

Installation Company
SunRay Solar
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
O Yes  No
Equipment Vendor
SunEdison
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-7003751_riKRPxGy_N3886_Hebert_PVCertificate_of_

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7003751\_YIPHBPAf\_Jim\_Hebert\_contract\_part\_3\_-\_sig

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-7003751\_dP03JFwQ\_N3886\_Hebert\_PV\_-\_Processed\_

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kan Jon


**Print Name** 

Karen Tonnesen

**Date Signed** 

06/15/2016

#### Eversource






Exhibit B - Certificate of Completion for Simplified Process Interconnections

installation information: Check if own	er-installed	
Customer or Company Name (print): _Lisa Hebert	The amplitude was sure a	
Contact Person, if Company:		
Mailing Address: 5 New Road		
City: windham	State: 01	Zip Code: 103087
Telephone (Daytime): 603-475 - 4996	_ (Evening):	
Facsimile Number:	E-Mail Address: Jim. hebe	rt 16 @ amail.com
Facility Information:		571140486
Address of Facility (if different from above):		
City:	State:	Zip Code:
<b>Electrical Contractor Contact Information:</b>		
Electrical Contractor's Name (if appropriate): 508	Ray Solor	
Mailing Address: 124 hall 5t		
City: concord	State: NH	Zip Code: <u>8338</u>
Telephone (Daytime): <u>(83-275-688)</u>	(Evening):	
Facsimile Number:	E-Mail Address: Ken @ 500	eadth-esonshine.
License number: 13781M	noi-j-	
Date of approval to install Facility granted by the Com	pany:	initia a a a a a a a a a a a a a a a a a a
Eversource Application ID number: #N 3 886		
Inspection:		
The system has been installed and inspected in complia	ance with the local Building/Electrica	ol Code of:
City: U LUDINA	County: Rockingheum	
Signed (Local Electrical Wiring Inspector, or attach sig	gned electrical inspection):	a war
Signature: MM?Com		
Name (printed): Mike Mc Goin	<u> </u>	ate: 11 6 15
Customer Certification:		T. I.
I hereby certify that, to the best of my knowledge, all in Completion is true and correct. This system has been in standards. Also, the initial start-up test required by Puc	nstalled and shall be operated in com	pliance with applicable
Please remember to provide digital photos of the ins required), the existing Eversource meter, the inverte		
Customer Signature:	elert.	
As a condition of interconnection you are required to se	end/fax a copy of this form to:	

Eversource

Distributed Generation 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924

## New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.


The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

James Hebert
Printed Name of signature owner
Jim Hebert Jim Hebert (Jun 7, 2016)

Signature of system owner

# EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement

	Eversource Application Project ID#:	N 3886
Contact Information:		
Legal Name and Address of Interconnecting Customer (	or, Company name, if appropriate)	
Customer or Company Name (print): Jim and Lisa He		
Contact Person, if Company:		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
Mailing Address: 5 New Road	The second secon	and the second s
Gity: Windham State: N	IH Zîp Code:	03087
Telephone (Daytime): 603-475-4996		
Facsimile Number:		
		The second secon
Alternative Contact Information (e.g., System installs Name: SunRay Solar, LLC	tion contractor or coordinating company, if app	propriate):
Mailing Address: 124A Hall Street		CARRIED IL
City: Concord State: N	lew Hampshire Zin Code	03301
Telephone (Daytime): 603-225-6001	(Evening):	THE THE PARTY OF T
Facsimile Number:		
Mailing Address: 124A Hall Street		- 1955 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 - 195 -
City: Concord State: N	lew Hampshire Zip Code:	03301
Telephone (Daytime): 603-225-6001	(Evening):	The state of the s
Facsimile Number:	E-Mail Address: Brian@spreadtnesunsr	ine.com
Facility Site Information:		
Facility (Site) Address: 5 New Road		
City: Windham State:	NH Zip Code:	_03087
Electric		
Service Company: Eversource Account 1	Number: <u>56245801097</u> Meter Num	ber: S71140486
Account and Meter Number: Please consult an actual Ev Number on this application. If the facility is to be install	versource electric bill and enter the correct Acc	ount Number and Meter
Eversource Work Request#		
Non-Default' Service Customers Only:		
Competitive Electric		
Energy Supply Company:	Account Number:	As Western War State Control of the
(Customer's with a Competitive Energy Supply Compan Supply Company.)	10.00 to 10.	The state of the s

# EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

# Simplified Process Interconnection Application and Service Agreement

Facility Machine Inf	ormation:				
Generator/	Model Name &				
Inverter Manufacturer	Enphase	Number: m215 Quantity: 44			44
Nameplate Rating:	249 ZZ5 (kW)	(kVA)	(AC Volts)		Three
Nameplate Rating: Th	e AC Nameplate rating (	of the individual inv	erter.		
System Design Capac	ity: 44-08-9 (k)	Ŵ) (k)	/A) Battery Backup:	Yes No	
	The second secon			inverters installed in the s	vetem this is the
	ate ratings of all inverte				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Net Metering: If Rene	wably Fueled, will the a	ccount be Net Mete	red? Yes No		
Prime Mover: Photov	oltaic Reciproca	ting Engine 🔲	Fuel Cell Turbin	ne Other	3
Energy Source: Solar	■ Wind ☐ Hydro	Diesel 1	Vatural Gas Fuel C	Oil Other	
					, un
Inverter-based Gene	rating Facilities:				
UL 1741 / IEEE 1547. Yes No	I Compliant (Refer To P	Part Puc 906 Complia	ance Path For Inverter U	nits, Part Puc 906.01 Invert	er Requirements)
The standard UL 1741	.1 dated May, 2007 or Is	ater, "Inverters, Con	verters, and Controllers	for Use With Independent	Power
Systems," addresses th	e electrical interconnect	tion design of variou	is forms of generating e	quipment. Many manufact	turers choose to
submit their equipmen	t to a Nationally Recogn	ized Testing Labor	atory (NRTL) that verif	ics compliance with UL	1741.1. This
provided by the inve	rter manufacturer desc	ribing the inverte	orung documentation of III. 1741/IEEE 1540	n. Please include, any do- 7.1 listing	cumentation
•					
External Manual Dis	connect Switch:				
An External Manual D	isconnect Switch shall b	e installed in accord	ance with 'Part Puc 905	Technical Requirements For	r
Interconnections For Fi	acilities, Puc 905.01 Requi	irements For Discon	nect Switches and 905.02	Disconnect Switch.'	-
Yes No 🗌					
Location of External M	Ianual Disconnect Switch	h: outside next to	meter	A company of the contract of t	
		**			
Project Estimated Insta	Il Date: August 2015	Control to the second of the s	Project Estimated In-Se	ervice Date: August 201	5
	·		5	Control of the second s	Hart resident of the last of t
Interconnecting Cust	omer Signature;				
I hereby certify that, to	the best of my knowled	ge, all of the inform	nation provided in this a	pplication is true and I agre	ee to the Terms
and Conditions for Si	mplified Process Interc	connections attache	d hereto:		
· Ko	1	1_		•	
Customer Signature	formy fels	ritle Title	ez_owner	Date:	
noist is relation to the	ne and/or three-line did	agram of proposed	installation. Diagram	must indicate the generato ations without such a diag	r connection
returned.	customer service panet	ana ine Eversourc	e meter socket. Applic	anons without such a diag	ram may be
The second secon		1979.50 , sa (Fig. sections)	the second of the state of the second	A CONTROL OF THE CONT	Halida Brandon Carlos Company Company Company
		172 - 173	VI O I		
A 14 T 4 19 TS	eg»,	ror Everson	rce Use Only		
Approval to Install F	•				
Installation of the Facil	ity is approved continge	ent upon the Terms	and Conditions For Sim	plified Process Interconnec	ctions of this
	nent to any system modi				
Are system modification	ns required? Yes	No be	Determined		, ,
Company Signature:	ann	Vin	Title: ASSOC	care Date:	3/19/5
Eversource SPIA rev. 03/	14		Ellais	1-1-1 Page 2 of 4	

### EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

#### Terms and Conditions for Simplified Process Interconnections

ate of inspection/Witness Test:
99

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
  Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
  900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
  easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
  - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
  - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
  - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
  - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
  - 6.2. Company lastalls Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
  - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
  - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
  - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
  - 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
  - 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Pacilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).